CDC TB Risk Assessment Form

May be used for students at the Knoxville and Tampa off-campus sites.

This form MUST be completed in addition to the TB test.



Health Care Personnel (HCP) Baseline Individual TB Risk Assessment

HCP should be considered at increased risk for TB if any of the following statements are marked "Yes":

	Temporary or permanent residence of ≥1 month in a country with a high TB rate Any country other than the United States, Canada, Australia, New Zealand, and those in Northern Europe or Western Europe OR	YES NO	
A)	Current or planned immunosuppression, including human immunodeficiency virus (HIV) infection, organ transplant	YES 🗌	
RE	recipient, treatment with a TNF-alpha antagonist (e.g., infliximab, etanercept, or other), chronic steroids (equivalent of prednisone ≥15 mg/day for ≥1 month) or other immunosuppressive medication	№ □	
OR			
	Close contact with someone who has had	YES 🗌	
	infectious TB disease since the last TB test	NO 🗌	

Abbreviations: HCP, health-care personnel; TB, tuberculosis; TNF, tumor necrosis factor.

Individual risk assessment information can be useful in interpreting TB test results (see Lewinsohn DM, Leonard MK, LoBue PA, et al. Official American Thoracic Society/Infectious Diseases Society of America/Centers for Disease Control and Prevention Clinical Practice Guidelines: Diagnosis of tuberculosis in adults and children. Clin Infec Dis 2017;64:111–5).

Adapted from: Risk assessment form developed by the California Department of Health, Tuberculosis Control Branch.

Sosa LE, Nije GJ, Lobato MN, et al. Tuberculosis Screening. Testing, and Treatment of U.S. Health Care Personnel: Recommendations from the National Tuberculosis Controllers Association and CDC, 2019. MMWR Morb Mortal Wky Rep 2019;68:439–43. https://www.cdc.gov/mmwr/volumes/68Awr/mm6819a3.htm?s-cid=mm6819a3.w





Student Name	Date
Healthcare Provider Signature	Date
Teattheare Frovider Signature	Date